

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

brake fluid DOT 4
Article number: 26746, 26461, 21754,180588

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

brake fluid

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor
+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation.
Repr. 2: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word WARNING

Contains: Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate

Hazard statements H319 Causes serious eye irritation.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P308+P313 IF exposed or concerned: Get medical advice / attention.
P337+P313 If eye irritation persists: Get medical advice / attention.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

| | |
|---------------------------------|---|
| Physico-chemical hazards | Material will burn in fire. |
| Human health dangers | Contains no ingredients with endocrine-disrupting properties. |
| Environmental hazards | Does not contain any PBT or vPvB substances. |
| Other hazards | none |

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

| Range [%] | Substance |
|-----------|--|
| 25 - 40 | 2-(2-(2-Butoxyethoxy)ethoxy)ethanol CAS: 143-22-6, EINECS/ELINCS: 205-592-6, EU-INDEX: 603-183-00-0, Reg-No.: 01-2119475107-38-XXXX GHS/CLP: Eye Dam. 1: H318 SCL [%]: 20 - <30: Eye Irrit. 2: H319, >=30: Eye Dam. 1: H318 |
| 15 - 25 | Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate CAS: 30989-05-0, EINECS/ELINCS: 250-418-4, Reg-No.: 01-2119462824-33-XXXX GHS/CLP: Repr. 2: H361fd |
| 5 - 10 | 3,6,9,12-tetraoxahexadecan-1-ol CAS: 1559-34-8, EINECS/ELINCS: 216-322-1 GHS/CLP: Eye Irrit. 2: H319 |
| 5 - 10 | 2,2'-oxybisethanol CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6, Reg-No.: 01-2119457857-21-XXXX GHS/CLP: Acute Tox. 4: H302 |
| 1 - 3 | 2-(2-Butoxyethoxy)ethanol CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX GHS/CLP: Eye Irrit. 2: H319 |
| < 1 | 2-(2-Methoxyethoxy)ethanol CAS: 111-77-3, EINECS/ELINCS: 203-906-6, EU-INDEX: 603-107-00-6, Reg-No.: 01-2119475100-52-XXXX GHS/CLP: Repr. 1B: H360D SCL [%]: >= 3: Repr. 1B: H360D |

Comment on component parts For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|----------------------------|---|
| General information | Take off contaminated clothing and wash before reuse. |
| Inhalation | Ensure supply of fresh air. In the event of symptoms seek medical treatment. |
| Skin contact | When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists. |
| Eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Ingestion | Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink. |

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.
Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Use personal protective equipment.
The product is combustible.
Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash hands before breaks and after work.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.
Keep in a cool place. Store in a dry place.
Recommended storage temperature: 15 - 30°C

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

| |
|---|
| Substance |
| 2-2'-oxybisethanol |
| CAS: 111-46-6, EINECS/ELINCS: 203-872-2, EU-INDEX: 603-140-00-6, Reg-No.: 01-2119457857-21-XXXX |
| Long-term exposure: 23 ppm, 101 mg/m ³ |
| 2-(2-Butoxyethoxy)ethanol |
| CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX |
| Long-term exposure: 10 ppm, 67,5 mg/m ³ |
| Short-term exposure (15-minute): 15 ppm, 101,2 mg/m ³ |
| 2-(2-Methoxyethoxy)ethanol |
| CAS: 111-77-3, EINECS/ELINCS: 203-906-6, EU-INDEX: 603-107-00-6, Reg-No.: 01-2119475100-52-XXXX |
| Long-term exposure: 10 ppm, 50,1 mg/m ³ , Sk |

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

| |
|---|
| Substance / EC LIMIT VALUES |
| 2-(2-Butoxyethoxy)ethanol |
| CAS: 112-34-5, EINECS/ELINCS: 203-961-6, EU-INDEX: 603-096-00-8, Reg-No.: 01-2119475104-44-XXXX |
| Eight hours: 10 ppm, 67,5 mg/m ³ |
| Short-term (15-minute): 15 ppm, 101,2 mg/m ³ |
| 2-(2-Methoxyethoxy)ethanol |
| CAS: 111-77-3, EINECS/ELINCS: 203-906-6, EU-INDEX: 603-107-00-6, Reg-No.: 01-2119475100-52-XXXX |
| Eight hours: 10 ppm, 50,1 mg/m ³ , H |

DNEL

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| Industrial, inhalative, Long-term - local effects, 67,5 mg/m ³ |
| Industrial, inhalative, Acute - local effects, 101,2 mg/m ³ |
| general population, oral, Long-term - systemic effects, 6,25 mg/kg bw/day |
| 2-2'-oxybisethanol, CAS: 111-46-6 |
| Industrial, inhalative, Long-term - systemic effects, 44 mg/m ³ |
| Industrial, inhalative, Acute - local effects, 60 mg/m ³ |
| Industrial, dermal, Long-term - systemic effects, 43 mg/kg bw/day |
| general population, inhalative, Long-term - systemic effects, 12 mg/m ³ |
| general population, inhalative, Acute - local effects, 12 mg/m ³ |
| general population, dermal, Long-term - systemic effects, 21 mg/kg bw/day |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| Industrial, inhalative, Long-term - systemic effects, 24 mg/m ³ |
| Industrial, inhalative, Acute - systemic effects, 96 mg/m ³ |
| Industrial, inhalative, Long-term - local effects, 30,5 mg/m ³ |
| Industrial, inhalative, Acute - local effects, 96 mg/m ³ |
| Industrial, dermal, Long-term - systemic effects, 1005 mg/kg bw/day |
| Industrial, dermal, Acute - systemic effects, 400 mg/kg bw/day |
| Industrial, dermal, Long-term - local effects, 5,65 mg/cm ² |
| Industrial, dermal, Acute - local effects, 8,35 mg/cm ² |



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 6 / 17

| |
|---|
| general population, inhalative, Long-term - systemic effects, 12 mg/m ³ |
| general population, inhalative, Acute - systemic effects, 48 mg/m ³ |
| general population, inhalative, Long-term - local effects, 15,252 mg/m ³ |
| general population, inhalative, Acute - local effects, 48 mg/m ³ |
| general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day |
| general population, dermal, Acute - systemic effects, 200 mg/kg bw/day |
| general population, dermal, Long-term - local effects, 2,823 mg/cm ² |
| general population, dermal, Acute - local effects, 4,173 mg/cm ² |
| general population, oral, Long-term - systemic effects, 12,5 mg/kg bw/day |
| general population, oral, Acute - systemic effects, 103,4 mg/kg bw/day |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| Industrial, inhalative, Long-term - systemic effects, 50,1 mg/m ³ |
| Industrial, dermal, Long-term - systemic effects, 2,22 mg/kg bw/day |
| general population, inhalative, Long-term - systemic effects, 30,1 mg/m ³ |
| general population, dermal, Long-term - systemic effects, 1,33 mg/kg bw/day |
| general population, oral, Long-term - systemic effects, 7,5 mg/kg bw/day |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| Industrial, inhalative, Long-term - systemic effects, 14.8 mg/m ³ (AF=25) |
| Industrial, dermal, Long-term - systemic effects, 4.2 mg/kg bw/d (AF=100) |
| general population, inhalative, Long-term - systemic effects, 2.6 mg/m ³ (AF=50) |
| general population, dermal, Long-term - systemic effects, 1.5 mg/kg bw/d (AF=200) |
| general population, oral, Long-term - systemic effects, 1.5 mg/kg bw/d (AF=200) |

PNEC

| |
|---|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| oral (food), 56 mg/kg food |
| freshwater, 1,1 mg/L |
| seawater, 110 µg/L |
| sediment (freshwater), 4,4 mg/kg sediment dw |
| sediment (seawater), 440 µg/kg sediment dw |
| soil, 320 µg/kg soil dw |
| 2-2'-oxybisethanol, CAS: 111-46-6 |
| freshwater, 10 mg/L |
| seawater, 1 mg/L |
| sediment (freshwater), 20,9 mg/kg |
| soil, 1,53 mg/kg |
| sewage treatment plants (STP), 199,5 mg/L |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| freshwater, 2 - 100 mg/L |
| seawater, 200 - 142570 µg/L |
| sewage treatment plants (STP), 199,5 - 200 mg/L |
| sediment (freshwater), 7,7 - 11,115 mg/kg sediment dw |
| sediment (seawater), 770 - 1111,5 µg/kg sediment dw |
| soil, 470 - 11510 µg/kg soil dw |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| freshwater, 12 mg/L |
| seawater, 1,2 mg/L |
| sewage treatment plants (STP), 10000 mg/L |



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 7 / 17

| |
|--|
| sediment (freshwater), 44,4 mg/kg sediment dw |
| sediment (seawater), 0,44 mg/kg sediment dw |
| terrestrial, 2,1 mg/kg |
| oral (food), 0,09 g/kg |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| There are no PNEC values established for the substance. |

8.2 Exposure controls

| | |
|--|--|
| Additional advice on system design | Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. |
| Eye protection | safety glasses |
| Hand protection | The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). |
| Skin protection | Oil-resistant protective clothing. |
| Other | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours. |
| Respiratory protection | In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387) |
| Thermal hazards | none |
| Delimitation and monitoring of the environmental exposition | Comply with applicable environmental regulations limiting discharge to air, water and soil. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|-------------------------------|
| Physical state | liquid |
| Form | liquid |
| Color | amber colour |
| Odor | mild |
| Odour threshold | not relevant |
| pH-value | 7 - 10.5 |
| pH-value [1%] | No information available. |
| Boiling point or initial boiling point and boiling range [°C] | > 260 |
| Flash point [°C] | > 100 |
| Flammability | no |
| Lower explosion limit | No information available. |
| Upper explosion limit | No information available. |
| Oxidising properties | no |
| Vapour pressure/gas pressure [kPa] | 0.1 |
| Density [g/cm ³] | 1.02 - 1.07 (20 °C / 68,0 °F) |
| Relative density | not determined |
| Bulk density [kg/m ³] | not applicable |
| Solubility in water | miscible |
| Solubility other solvents | No information available. |
| Partition coefficient n-octanol/water (log value) | 1.5 |
| Kinematic viscosity | ca. 5 - 10 cSt (20°C) |
| Relative vapour density | No information available. |
| Melting point [°C] | < -50 |
| Auto-ignition temperature [°C] | > 280 |
| Decomposition temperature [°C] | 300 |
| Particle characteristics | not applicable |

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.
The product is hygroscopic.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).
Decomposes begins at ca. 300 °C.

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 9 / 17

10.5 Incompatible materials

Sensitive to moisture.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

| |
|--|
| Product |
| ATE-mix, Rat, > 5000 mg/kg bw |
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| LD50, oral, mouse, 2410 - 5530 mg/kg bw |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| LD50, oral, Rat, 5000 - 11300 mg/kg bw |
| LD0, oral, Rat, 5 mL/kg bw |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| LD50, oral, Rat, 7128 mg/kg |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| LD50, oral, Rat, > 2000 mg/kg bw, OECD 401 |

Acute dermal toxicity

| |
|--|
| Product |
| ATE-mix, Rabbit, > 3000 mg/kg bw |
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| LD50, dermal, Rabbit, 2764 mg/kg bw |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| LC50, dermal, Rabbit, 3540 mg/kg bw |
| LDLo, dermal, Rabbit, 2000 mg/kg bw |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| LD50, dermal, Rabbit, 9404 mg/kg |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| LD50, dermal, Rat, > 2000 mg/kg bw |

Acute inhalational toxicity

| |
|--|
| Product |
| Based on the available information, the classification criteria are not fulfilled. |
| Substance |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| LC50, inhalative, Rat, 2,4 mg/L air |
| LCLO, inhalative, Rat, 1,2 mg/L air, 8h |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| LC0, inhalation (vapour), Rat, > 1,2 mg/l 6h |

Serious eye damage/irritation

Based on the available information, the classification criteria are fulfilled.
Irritant
On basis of test data

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |

| |
|--|
| Eye, irritant |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| Eye, adverse effect observed |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| Eye, non-irritating |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| Eye, non-irritating |

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| dermal, Rabbit, OECD 404, non-irritating |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| dermal, non-irritating |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| dermal, non-irritating |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| dermal, non-irritating |

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| dermal, Guinea pig, OECD 406, non-sensitizing |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| dermal, non-sensitizing |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| dermal, non-sensitizing |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| dermal, non-sensitizing |

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

| |
|---|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| NOAEL, oral, Rat, 250 mg/kg bw/day, The effects observed are not sufficient for classification. |
| NOAEC, inhalative, 94 mg/m ³ , The effects observed are not sufficient for classification. |
| 2-2'-oxybisethanol, CAS: 111-46-6 |
| NOAEL, oral, Rat, 128 - 936 mg/kg bw/day |
| NOAEL, dermal, Dog, 2220 - 4440 mg/kg bw/day |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| NOAEL, oral, Rat, 500 mg/kg bw/day |
| NOAEL, dermal, Rat, 5000 mg/kg bw/day |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| NOAEL, oral, Rat, 1000 mg/kg bw/day |

Mutagenicity Based on the available information, the classification criteria are not fulfilled.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 12 / 17

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| oral, mouse, In vivo study, negativ |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| in vitro, negativ |
| in vivo, negativ |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| in vitro, negativ |

Reproduction toxicity Suspected of damaging the unborn child.
Suspected of damaging fertility.
Classification was carried out based on substance-specific concentration limits.
Calculation method

- Fertility

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| NOAEL, oral, Rat, > 1000 mg/kg bw/day, no adverse effect observed |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| NOAEL, oral, 200 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity, |
| NOAEL, dermal, Rabbit, 50 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity, |

- Development

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| NOAEL, oral, Rat, > 633 mg/kg bw/day, no adverse effect observed |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| NOAEL, oral, 200 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity, |
| NOAEL, dermal, Rabbit, 50 mg/kg bw/day, adverse effect observed, Effect on developmental toxicity, |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| NOAEL, oral, Rabbit, 250 mg/kg bw/day, adverse effect observed |

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

| |
|--|
| Substance |
| 2-(2-Butoxyethoxy)ethanol, CAS: 112-34-5 |
| LC50, (96h), fish, 1,3 g/L |
| EC50, (48h), Invertebrates, 100 mg/L |
| EC50, (4d), Algae, 100 mg/L |
| 2-2'-oxybisethanol, CAS: 111-46-6 |
| LC50, (96h), fish, 75.2 g/L |
| LC50, (28d), fish, 1.5 g/L |
| EC50, (24h), Invertebrates, 10 g/L |
| EC50, (21d), Invertebrates, 33.911 g/L |
| EC50, (4d), Algae, 6.5 - 13 g/L |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, CAS: 143-22-6 |
| LC50, (96h), fish, 2,182 - 14,257 g/L |
| LC50, (48h), fish, 2,4 g/L |
| LC50, (24h), fish, 2,4 - 2,967 g/L |
| EC50, (21d), Invertebrates, 518,3 mg/L |
| EC50, (72h), Algae, 500 - 3211 mg/L |
| LC0, (96h), fish, 2,15 g/L |
| NOEC, (72h), Algae, 62,5 - 499 mg/L |
| NOEC, (21d), fish, 174,6 mg/L |
| NOEC, (21d), Invertebrates, 97,7 - 174,6 mg/L |
| LC100, (96h), fish, 4,6 g/L |
| EC10, (72h), Algae, 151 - 1185 mg/L |
| EC10, (21d), Invertebrates, 233,9 - 235,6 mg/L |
| EC20, (72h), Algae, 270 - 364 mg/L |
| 2-(2-Methoxyethoxy)ethanol, CAS: 111-77-3 |
| LC50, (96h), Pimephales promelas, 5741 mg/L |
| EC50, (96h), Pseudokirchneriella subcapitata, > 1000 mg/L |
| EC50, (48h), Daphnia magna, 1192 mg/L |
| Tris[2-(2-(2-methoxyethoxy)ethoxy)ethyl]orthoborate, CAS: 30989-05-0 |
| LC50, (48h), Oncorhynchus mykiss, > 222,2 mg/L |
| EC50, (24h), Daphnia magna, > 211,2 mg/L |
| EC50, (72h), Algae, > 224,4 mg/L |

12.2 Persistence and degradability

| | |
|--|---------------------------|
| Behaviour in environment compartments | No information available. |
| Behaviour in sewage plant | No information available. |
| Biological degradability | No information available. |

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.



Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 14 / 17

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.
The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!
Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended) 160113*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102
150104
150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 23.02.2024, Revision 16.02.2024

Version 14.0. Supersedes version: 13.0

Page 15 / 17

14.2 UN proper shipping name

- Transport by land according to ADR/RID NO DANGEROUS GOODS
- Inland navigation (ADN) NO DANGEROUS GOODS
- Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"
- Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

- Transport by land according to ADR/RID not applicable
- Inland navigation (ADN) not applicable
- Marine transport in accordance with IMDG not applicable
- Air transport in accordance with IATA not applicable

14.4 Packing group

- Transport by land according to ADR/RID not applicable
- Inland navigation (ADN) not applicable
- Marine transport in accordance with IMDG not applicable
- Air transport in accordance with IATA not applicable

14.5 Environmental hazards

- Transport by land according to ADR/RID no
- Inland navigation (ADN) no
- Marine transport in accordance with IMDG no
- Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|---|--|
| EEC-REGULATIONS | 2008/98/EG (2000/532/EG); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EG) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EG) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021 |
| - Comment on component parts | Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. |
| - Annex I (REACH) | The product is not subject to Annex I restrictions. |
| - Annex XIV (REACH) | According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation. |
| - Annex XVII (REACH) | According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains \geq 0.1% of substances with the following restrictions. 30, 54, 55, 72, 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3 |
| TRANSPORT-REGULATIONS | ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024) |
| NATIONAL REGULATIONS (UK): | EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP. |
| - Observe employment restrictions for people | Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people. |
| - VOC (2010/75/CE) | 0 % |

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H360D May damage the unborn child.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H318 Causes serious eye damage.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (On basis of test data)
Repr. 2: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. (Calculation method)

Modified position

none